



## **MEGA MASTER AND MASTER BRAAI** **ASSEMBLY INSTRUCTIONS**



**The first part of the build is to build up the lower frame with the wheels on it.**

**It is packed inside the warmer drawer section of your braai. Please remember the handle are twist lock handles.**

**Please note the wheels shown in the manual may differ from those on your model.**



**The cross bar between the legs must be fitted using the allen key cap screw bolts that are supplied.**

**You will find these fitted into the cross bar for transport.**



**Fit the cap screw using your fingers initially and then tighten the cap screw using the allen key supplied**



**Remove the bolt with the washer from the axel shaft.**

**Push the wheel bearing over the axel shaft and fit the bolt by hand.**

**Tighten using the larger allen key.**



**Once the base unit is complete, remove the small allen cap screws from the protruding sections on top of the poles using the smaller allen key.**

**Lower the main braai unit onto the sub frame making sure the allen key screw holes match.**

**Re-fit the allen key cap screws and tighten with the allen key**



**Repeat the fitting of the allen key cap screws on the other side.**

**Note the holes in the base unit are specifically drilled to make sure the legs are orientated correctly.**



**The Side Handles are fitted in the same way but the bolts fit through the handle and fix into the studs on the side of the braai.**

**Locate the handle on the studs and then turn the larger allen cap screws into the threaded studs by hand.**

**Tighten with the larger allen key.**



### **IMPORTANT NOTE ON TYPE OF FIRES IN YOUR BRAAI.**

**The Master and Mega Braai is designed to accommodate charcoal and small kindling type wood fires.**

### **THE MESH GRID SUPPLIED IS NOT DESIGNED FOR LOG TYPE FIRES.**

**If you want to make log fires in your unit it is suggested that the fire be made elsewhere and the embers dropped into the ash trays onto the fire grid or that you purchase a fire grate specifically designed for this purpose.**

### **Cleaning and maintenance:**

**The handles and wooden work surface on your braai are all pre-oiled with a clean sunflower oil. It is suggested that you continue oiling them to keep them looking good and nourished.**

**The main stainless steel parts should be easily cleaned with warm water and a good detergent solution. Do not scour the shiny surface with any abrasive materials as you will damage the finish.**

### **Cleaning grids:**

**We suggest that you clean your grids with hot water, sunlight liquid ( or equivalent ) and a goldi locks scourer pad to remove stubborn caked on materials. Once the grid is left in warm water for a few minutes the grease and fat will loosen and be easy to remove**



**If you need any additional information regarding your stainless steel braai, please feel free to contact us on: 044 3825851 or on [info@botany.co.za](mailto:info@botany.co.za)**